

1/12





Fig.1B.

Fig.1A.



MSFT-1-20537






Fig. 2.

DRAFT

MSFT-1-20537





MSFT-1-20537




Fig. 3E.

6/12

400

**START A METHOD FOR PRESENTING A SECTOR
MENU AS A USER NAVIGATES A POINTER**

A

**THE METHOD GATHERS INFORMATION
REGARDING THE POINTER AND ITS
WINDOWING ENVIRONMENT (SEE FIGS. 4B-4D)**

404

B

C

**THE METHOD EDUCES AN INTENTION OF THE
USER (SEE FIGS. 4E)**

406

D

E

**THE METHOD DISPLAYS THE SECTOR MENU
THAT MOVES WITH THE POINTER
(SEE FIGS. 4F-4G)**

408


F

FINISH

Fig.4A.

Fig.4B.

7/12



DRAFT

MSFT-1-20537

8/12

Fig.4C.

A1

400

THE CONFIGURATION COMPONENT PLACES INTO THE
CACHE INFORMATION REGARDING MENU ITEMS
THAT ARE TO BE STATIC OR DYNAMIC

422

THE CONFIGURATION COMPONENT PLACES INTO
THE CACHE ONE OR MORE MENU ITEMS THAT
MUST BE PRESENT IN THE SECTOR MENU

424

THE CONFIGURATION COMPONENT PLACES INTO THE
CACHE INFORMATION REGARDING SPECIFIC MENU
ITEMS FOR A PARTICULAR SOFTWARE APPLICATION

426

THE CONFIGURATION COMPONENT PLACES INTO THE
CACHE INFORMATION REGARDING WHEN THE
SECTOR MENU WOULD BE PRESENTED TO THE USER

428

THE CONFIGURATION COMPONENT PLACES
INTO THE CACHE INFORMATION REGARDING
THE SHAPE OF THE SECTOR MENU

430


THE CONFIGURATION COMPONENT PLACES
INTO THE CACHE INFORMATION REGARDING
THE SIZE OF THE SECTOR MENU

432

A2

9/12


Fig.4D.



DRAFT

MSFT-1-20537

Fig.4E.



11/12

Fig.4F.




Fig.4G.

